

STANLEY®

2021 | GARDEN CATALOG



HAND TOOLS

TRADITION. PRODUCTIVITY. INNOVATION.

These words encompass all that we strive to incorporate into each product. That is why every year our engineers go above and beyond to collect consumer feedback, conduct quality testing and use their own vast knowledge of hand tools to improve our broad line of products. With that information put to work in the lab, we bring you our professional product line with industry-leading innovations. We work to continually design projects with superior features that will see you through to the end of your job and beyond.

In 2020 we aim to generate
81 billion impressions
supporting STANLEY® and
FATMAX® products.



963K



40.1K

You**Tube** 10K

STANLEY® and the STANLEY® logo are registered trademarks of Stanley Black & Decker, Inc. or one of its affiliates, and are used under license.

STANLEY FATMAX® and the STANLEY FATMAX® logo are registered trademarks of Stanley Black & Decker, Inc. or one of its affiliates, and are used under license.

CONTENTS

FATMAX® TOOLS	6-29
WATERING TOOLS	30-59
PRUNERS AND SHEARS	60-69
CUTTING COMBO PACKS	70-73
LOPPERS AND HEDGE SHEARS	74-83
SAWS AND HOOKS	84-91
LONG HANDLE TOOLS	92-111
HAND DIGGING TOOLS	112-125
SPRAYERS	126-131
WHEELBARROWS	132-137
DISPLAYS	138-147


**LIMITED
LIFETIME
WARRANTY**

TOOLS TO LAST A LIFETIME.

LIMITED LIFETIME WARRANTY

Limited lifetime warranty against original defects in materials and workmanship for home use.

The warranty of this product is covered by Bond Manufacturing Co., Inc.



STANLEY
FATMAX

STANLEY®

FATMAX®





EXO JACKET

STANLEY
FATMAX



STANLEY
FATMAX

HEAVY DUTY FABRIC HOSE



- 500 PSI • 5/8 IN. Diameter
- Field serviceable couplings simply repair and use again
- Fully Prop 65 compliant

U.S.



25 FT	BDS7388
50 FT	BDS7389
75 FT	BDS7390
100 FT	BDS7391

Polyfusion Technology®
 Combines smart compounds making this hose lightweight and strong

Max Flow Technology
 Dual rib inner core allows for continuous flow

ExoJacket Technology®
 Durable outer woven fabric acts as a shield to protect inner core tubing



- 34 BAR • 12MM Diameter
- Built-in shut off valve allows for quick connect and disconnect

GLOBAL



10 M	BDS7392
15 M	BDS7393
20 M	BDS7394
30 M	BDS7395



DUPONT



KEVLAR™

STANLEY
FATMAX

EXO JACKET®

THE
ULTIMATE IN
STRENGTH & DURABILITY

STANLEY
FATMAX

HEAVY DUTY FABRIC HOSE



- 500 PSI • 5/8 IN. Diameter
- Field serviceable couplings simply repair and use again
- Fully Prop 65 compliant

U.S.



50 FT | BDS2571

Polyfusion® Technology
 Combines smart compounds making this hose lightweight and strong

Max Flow Technology
 Dual rib inner core allows for continuous flow

ExoJacket® Technology
 Durable outer woven fabric acts as a shield to protect inner core tubing




- 34 BAR • 12MM Diameter
- Built-in shut off valve allows for quick connect and disconnect

GLOBAL



15 M | BDS7393





STANLEY[®]
FATMAX[®]



PROFESSIONAL GARDEN HOSE



- 500 PSI • 5/8 IN. Diameter
- Field serviceable couplings simply repair and use again
- Fully Prop 65 compliant

U.S.



YELLOW HOSES:

25 FT	BDS6649
50 FT	BDS6650
75 FT	BDS6651
100 FT	BDS6652
150 FT	BDS6653

BLACK HOSES:

25 FT	BDS6649B
50 FT	BDS6650B
75 FT	BDS6651B
100 FT	BDS6652B
150 FT	BDS6653B

Polyfusion® Technology
 Combines smart compounds making this hose lightweight and strong

Ultimate Weather Performance
 Provides outstanding performance with temperatures in hot and cold climates

Anti Kink® Technology
 Simply let hose untwist and pull to where the hose is needed



- 34 BAR • 12MM Diameter
- Built-in shut off valve allows for quick connect and disconnect

GLOBAL



YELLOW HOSES:

10 M	BDS7337
15 M	BDS7338
20 M	BDS7339
30 M	BDS7340

BLACK HOSES:

10 M	BDS7337B
15 M	BDS7338B
20 M	BDS7339B
30 M	BDS7340B



STANLEY[®]
FATMAX[®]



STANLEY[®]
FATMAX[®]

FATMAX® PROFESSIONAL HOT WATER HOSE



- 500 PSI
- 5/8 IN. OR 3/4IN. Diameter
- Ultimate weather performance
- Patented faucet and accessory ready connections
- Fully Prop 65 compliant

U.S.



	5/8 IN.	3/4 IN.
25 FT	BDS7936	BDS7940
50 FT	BDS7937	BDS7941
75 FT	BDS7938	BDS7942
100 FT	BDS7939	BDS7943

Polyfusion® Technology
Combines smart compounds making this hose lightweight and strong

Hot Water Performance
Provides outstanding performance even in temperatures up to 198°F / 92°C

AntiKink® Technology
Simply let hose untwist and pull to where the hose is needed

- 34 BAR
- 12 MM. OR 19 MM. Diameter
- Ultimate weather performance
- Built-in shut off valve allows for quick connect and disconnect

GLOBAL



	12.7 MM	19 MM
10 M	BDS7953	BDS7965
15 M	BDS7954	BDS7966
20 M	BDS7955	BDS7967
30 M	BDS7956	BDS7968

STANLEY
FATMAX



FIBERGLASS LONG HANDLE

STANLEY®
FATMAX®



ControlGrip®



Vibration Reductin



**MULTIPLE
GRIP
POSITIONS**

FIBERGLASS LONG HANDLE

Round Point Shovel	BDS8058
Square Head Shovel	BDS8059
Bow Rake	BDS7136T
Garden Hoe	BDS7227T
Trenching Shovel	BDS7138T
Springback Rake	BDS7238T
Manure Fork	BDS7240T

- Oversized foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- 32mm Fiberglass handle
- Steel socket reinforcement

ControlGrip®

Rounded end grip allows for endless grip positions for added strength and control

Non-Slip Forward Grip

Allows for an added grip to maintain control and efficiency while digging, raking or pushing product

Tubed Steel Shank

Reinforces the fiberglass handle construction adding strength and durability



OVERSIZED GRIP
FITS GLOVED
HANDS

FIBERGLASS D-HANDLE

STANLEY[®]
FATMAX[®]



Ergonomic ProGrip



Vibration Reductin

FIBERGLASS D HANDLE

Round Point Shovel	BDS8060
Square Head Shovel	BDS8061
Garden Fork	BDS7139T
Grain Shovel	BDS7231

- Oversized foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- 32mm Fiberglass handle
- Steel socket reinforcement

Ergonomic ProGrip

Handle helps to reduce wrist strain and align applied force with the tool head

Vibration Reduction Collar

Rubber collar between fiberglass pole and steel head reduces vibration from ground friction

Tubed Steel Shank

Reinforces the fiberglass handle construction adding strength and durability





ASHWOOD LONG HANDLE

STANLEY[®] FATMAX[®]



ControlGrip[®]



Vibration Reduction



MULTIPLE
GRIP
POSITIONS

STANLEY[®] FATMAX[®]

ASHWOOD LONG HANDLE

Round Point Shovel	BDS8062
Square Head Shovel	BDS8063
Bow Rake	BDS7142T
Garden Hoe	BDS7144T
Trenching Shovel	BDS7229T
Manure Fork	BDS7241

- Oversized foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- Contoured hardwood handle
- Steel socket reinforcement

ControlGrip®

Rounded end grip allows for endless grip positions for added strength and control

Non-Slip Forward Grip

Allows for an added grip to maintain control and efficiency while digging, raking or pushing product

Tubed Steel Shank

Reinforces the fiberglass handle construction adding strength and durability



OVERSIZED GRIP
FITS GLOVED
HANDS



ASHWOOD D-HANDLE

STANLEY®
FATMAX®



Ergonomic ProGrip



Vibration Reduction

ASHWOOD D HANDLE

Round Point Shovel	BDS8064
Square Head Shovel	BDS8065
Garden Fork	BDS7230T
Grain Shovel	BDS7145T

- Oversized foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- Contoured hardwood handle
- Steel socket reinforcement

Ergonomic ProGrip

Handle helps to reduce wrist strain and align applied force with the tool head

Vibration Reduction Collar

Rubber collar between fiberglass pole and steel head reduces vibration from ground friction

Tubed Steel Shank


Reinforces the fiberglass handle construction adding strength and durability





FIBERGLASS LONG HANDLE

STANLEY®
FATMAX®
XTREME™



Xtreme Step



Vibration Reduction



MULTIPLE GRIP POSITIONS


XTREME FIBERGLASS LONG HANDLE



Xtreme Step



Vibration Reduction




Dual Brace Reinforcement



Ergonomic ProGrip

- Oversized single bridge foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- 32mm Fiberglass handle
- Tube steel socket reinforcement

Round Point Shovel	BDS7137T
Square Head Shovel	BDS7149T



Ergonomic ProGrip


Handle helps to reduce wrist strain and align applied force with the tool head

Vibration Reduction Collar


Rubber collar between fiberglass pole and steel head reduces vibration from ground friction

Tubed Steel Shank

Reinforces the fiberglass handle construction adding strength and durability




Tri-Point Blade



Xtreme Step



Dual Brace Reinforcement



ControlGrip®

- Oversized single bridge foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- 32mm Fiberglass handle
- Tube steel socket reinforcement

Round Point Shovel	BDS7143T
Square Head Shovel	BDS7135T

ControlGrip®

Rounded end grip allows for endless grip positions for added strength and control

Non-Slip Forward Grip

Allows for an added grip to maintain control and efficiency while digging, raking or pushing product

Tubed Steel Shank

Reinforces the fiberglass handle construction adding strength and durability



ASHWOOD LONG HANDLE




STANLEY[®]
FATMAX[®]
XTREME[™]



MULTIPLE
GRIP
POSITIONS


XTREME ASHWOOD LONG HANDLE



Xtreme Step



Vibration Reduction



Dual Brace Reinforcement



Ergonomic ProGrip®

- Oversized single bridge foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- Contoured hardwood handle
- Tube steel socket reinforcement

Round Point Shovel	BDS7143T
Square Head Shovel	BDS7150T



Ergonomic ProGrip


Handle helps to reduce wrist strain and align applied force with the tool head

Vibration Reduction Collar


Rubber collar between fiberglass pole and steel head reduces vibration from ground friction

Tubed Steel Shank


Reinforces the fiberglass handle construction adding strength and durability




Tri-Point Blade



Xtreme Step



Dual Brace Reinforcement



ControlGrip®

- Oversized single bridge foot step increases force to ground
- 14 Gauge heat treated steel heads
- Vibration reduction collar
- Contoured hardwood handle
- Tube steel socket reinforcement

Round Point Shovel	BDS7140T
Square Head Shovel	BDS7141T

ControlGrip®

Rounded end grip allows for endless grip positions for added strength and control

Non-Slip Forward Grip

Allows for an added grip to maintain control and efficiency while digging, raking or pushing product

Tubed Steel Shank


Reinforces the fiberglass handle construction adding strength and durability



GRIPHOOK® BYPASS PRUNER

- Forged steel blade with titanium carbo-nitride (TiCN) coating provides strength and retains sharpness
- Innovative hook design keeps branches in place during cutting
- Comfort molded grip
- Secure lock button easily protects the blade when not in use
- 1 IN / 2.54 CM Cutting capacity

GRIPHOOK® DESIGN KEEPS BRANCHES IN THEIR PLACE



GRIPHOOK®
BYPASS PRUNER
BDS6036

- Forged steel blade with Titanium Carbo-Nitride (TiCN) coating provides strength and retains sharpness
- Innovative hook design keeps branches in place during cutting
- SyncDrive® Technology provides more cutting force than non-g geared loppers
- 2 IN / 5.08 CM Cutting capacity



GRIPHOOK®
BYPASS LOPPER
BDS6324



GRIPHOOK® BYPASS LOPPER





BOW SAW

- Comfort molded grip
- 24 IN / 60.96 CM Removable blade



High Tension Control Knob



Durable Hand Guard



BOW SAW / BDS6510



NEW

PROFESSIONAL CHOP SAW

- Serrated top edge for sawing
- Curved front blade for clearing
- Rubber grip for a secure hold
- Riveted nylon sheath
- Arm lanyard

PROFESSIONAL CHOP SAW
BDS6594-3





ULTIMATE DIGGING KNIFE



ULTIMATE DIGGING KNIFE
BDS7236

- Offset handle protects hand and provides leverage
- V-Channel weed puller
- Tempered steel head
- Depth gauge
- Serrated edge cuts sod
- Fully welded construction
- Ergonomic TPR grip
- Reinforced sheath with belt loop



ULTIMATE GARDEN HOE



ULTIMATE GARDEN HOE
BDS7237

- V-Channel weed puller
- Scooping front tool cultivates soil
- Narrow axe on opposite side
- High impact polymer handle
- Heat treated cast construction
- TPR grip


HOSE ENDS



STANLEY
FATMAX

8 PATTERN HEAVY DUTY NOZZLE BDS7496

- 7 Selectable patterns: jet, shower, fan, cone, center, mist, flat and soaker
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger
- Hot water safe




Global Quick Connect Adapter

STANLEY
FATMAX

HEAVY DUTY ADJUSTABLE 3 WAY NOZZLE BDS7497

- Adjustable spray from fine mist to powerful jet stream
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger
- Hot water safe



Global Quick Connect Adapter

STANLEY
FATMAX


2 PIECE WATERING COMBO PACK BDS7811

- Combo includes: BDS7496 8 Pattern heavy duty nozzle and BDS7497 Heavy duty adjustable 3 way nozzle



Global Quick Connect Adapter

ACCUSCAPE PROSERIES® HOSE ENDS



Global Quick
Connect
Adapter



Global Quick
Connect
Adapter

7 PATTERN HEAVY DUTY NOZZLE BDS6707

- 7 Selectable patterns: shower, mist, cone, fan, full, flat, vertical
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger

3 WAY HEAVY DUTY NOZZLE BDS6708

- Adjustable from fine mist to powerful stream
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger



Global Quick
Connect
Adapter



Global Quick
Connect
Adapter

9 PATTERN ERGONOMIC NOZZLE BDS6705

- 9 Selectable patterns: mist, soaker, flat, shower, angle, center, fan, cone, jet
- Ergonomic design nozzle provides great comfort and ease of use
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Flow control shut-off for easy adjustment

3 WAY ERGONOMIC NOZZLE BDS6706

- Adjustable spray from fine mist to powerful jet stream
- Ergonomic design nozzle provides great comfort and ease of use
- Durable ABS body with TPR comfort grip
- Flow control shut-off for easy adjustment



Global Quick Connect Adapter



Global Quick Connect Adapter

10 PATTERN SPRAY NOZZLE BDS6703

- 10 Selectable patterns: jet, rinse, cone, fan, center, angle, shower, flat, soaker, mist
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core

3 WAY ADJUSTABLE NOZZLE BDS6704

- Adjustable from fine mist to powerful jet stream
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core



Global Quick Connect Adapter



Global Quick Connect Adapter


8 PATTERN SPRAY NOZZLE BDS7444

- 8 Selectable patterns: mist, flood, shower, flat, full cone, center and jet
- Comfortable non-slip grip
- Adjustable flow limiter
- Lock for continuous spray
- Lightweight

3 WAY ADJUSTABLE NOZZLE BDS7445

- Adjustable from fine mist to powerful jet stream
- Comfortable non-slip grip
- Adjustable flow limiter
- Lock for continuous spray
- Lightweight

ACCUSCAPE® HOSE ENDS



Global Quick Connect Adapter

10 PATTERN ERGONOMIC NOZZLE BDS7448

- 10 Selectable patterns: jet, rinse, cone, fan, center, angle, shower, flat, soaker, mist
- Durable ABS construction with TPR overlay
- Insulated comfort grip
- Ergonomic thumb control



Global Quick Connect Adapter

ADJUSTABLE ERGONOMIC NOZZLE BDS7449

- Adjustable from fine mist to powerful stream
- Durable ABS construction with TPR overlay
- Insulated comfort grip
- Non-corrosive zinc base
- Ergonomic thumb control



Global Quick Connect Adapter

HYDRALITE 6 PATTERN SMARTNOZZLE™ BDS7550

- Push button smart trigger
- 6 Patterns: shower, vertical, power jet, cone, jet & mist
- Helmet grade material
- Non-metallic material won't damage delicate surfaces like decks or boat gel-coat
- Heavy duty lightweight construction makes for easy and reliable watering



Global Quick Connect Adapter

HYDRALITE 3 PATTERN SMARTNOZZLE™ BDS7558

- Push button smart trigger
- 3 Patterns: shower, power jet and mist
- Helmet grade material
- Non-metallic material won't damage delicate surfaces like decks or boat gel-coat
- Heavy duty lightweight construction makes for easy and reliable watering



Global Quick Connect Adapter



Global Quick Connect Adapter

3 WAY INDUSTRIAL NOZZLE BDS7450

- Adjustable from fine mist to powerful stream
- 3-Way spray nozzle
- Locking clip allows continuous spray
- Durable zinc alloy body with TPR overlay
- Hot water safe

4.5 IN. / 11.43 CM TWIST ADJUSTABLE NOZZLE BDS7457

- Adjustable from fine mist to powerful stream
- Insulated rubber coating for enhanced grip
- Zinc alloy system



18 IN. / 45.7 CM SMARTNOZZLE™ WATER WAND BDS7559

- 3 Selectable patterns: shower, jet and mist
- Heavy duty lightweight construction makes for easy and reliable watering
- Push button smart trigger



Global Quick Connect Adapter



20 IN. / 50.8 CM SPRAY WATER WAND BDS6711

- 5 Selectable patterns: power wash, rinse, full, shower, soaker
- Aluminium tube



Global Quick Connect Adapter



30 IN. / 76.2 CM SOFT SPRAY WATER WAND BDS6712

- 5 Selectable patterns: power wash, rinse, full, shower, soaker
- Aluminium tube
- Comfortable foam grip



Global Quick Connect Adapter



8 PATTERN TELESCOPIC WATER WAND BDS7502

- 8 Selectable patterns:
- Aluminium tube
- Comfortable foam grip



Global Quick Connect Adapter

HOSE END COMBOS



3 PIECE WATERING COMBO PACK BDS6802

- 20 IN. / 50.8 CM 5 Pattern Spray Water Wand (BDS6711)
- 7 Pattern Heavy Duty Nozzle (BDS6707)
- 3 Way Heavy Duty Nozzle (BDS6708)



Global Quick
Connect
Adapter



FATMAX® 2 PIECE WATERING COMBO PACK BDS7811

- 8 Pattern Heavy Duty Nozzle (BDS7496)
- Heavy Duty Adjustable 3 Way Nozzle (BDS7497)



Global Quick
Connect
Adapter



Global Quick Connect Adapter

2 PIECE NOZZLE COMBO PACK BDS6805

- 10 Pattern Spray Nozzle (BDS6703)
- 3 Way Adjustable Nozzle (BDS6704)



Global Quick Connect Adapter

PROSERIES 2 PIECE ERGONOMIC NOZZLE COMBO PACK BDS6806

- 9 Pattern Ergonomic Spray Nozzle (BDS6705)
- 3 Way Ergonomic Spray Nozzle (BDS6706)



Global Quick Connect Adapter

3 PIECE NOZZLE COMBO PACK BDS7458

- 6 Pattern rear trigger nozzle
- Rear trigger adjustable nozzle
- 4.5 IN. / 11.43 CM Twist nozzle



Global Quick Connect Adapter

2 PIECE NOZZLE COMBO PACK BDS7459

- 7 Pattern rear trigger nozzle
- Rear trigger adjustable nozzle


ACCUSCAPE® HOSE ENDS



Global Quick Connect Adapter

18 HOLE OSCILLATING SPRINKLER BDS7460

- Adjustable side to side coverage
- Covers up to 3200 sq. feet / 297.29 sq. m.
- Aluminium spray tube
- Powerful gear train
- Solid brass jets



Global Quick Connect Adapter

15 HOLE OSCILLATING SPRINKLER BDS7462

- Constructed of high impact ABS
- Adjustable side to side coverage
- Covers up to 2000 sq. feet / 185.81 sq. m.



Global Quick Connect Adapter



Global Quick Connect Adapter

OSCILLATING SPRINKLER BDS7461

- Adjustable side to side coverage
- ABS plastic base
- Covers up to 2500 sq. feet / 232.26 sq. m.
- Variable settings



Global Quick Connect Adapter

IMPULSE SPRINKLER BDS7463

- Adjustable pulsating coverage
- Constructed of high impact ABS




Global Quick Connect Adapter

3 ARM WHIRLING SPRINKLER BDS7464

- Adjustable coverage spray tips
- Impact-resistant ABS construction
- ABS swivel coupling

9 FUNCTION TURRET SPRINKLER BDS7470


- 9 Different spray patterns
- Constructed of high impact ABS



Global Quick Connect Adapter

DELUXE IMPULSE SPRINKLER BDS6716



- Adjustable from partial to full circle
- Durable ABS construction
- Water coverage up to 2700 sq. feet / 250.83 sq. m.



Global Quick Connect Adapter

DELUXE 2 PATTERN ROTARY SPRINKLER BDS6717

- 2 Selectable patterns: fan and mist
- Durable ABS construction
- Water coverage up to 3000 sq. feet / 278.71 sq. m.



Global Quick Connect Adapter

DELUXE PULSATING SPRINKLER BDS7469

- Step spike for more leverage
- Adjustable from partial to full circle
- Constructed of heavy duty non-corrosive zinc and ABS

ACCUSCAPE® HOSE ENDS



ADJUSTABLE LCD WATER TIMER BDS7468

- Use for garden watering, mist cooling & micro dripping applications
- Easy to install & program
- Simple LCD programs with frequency setting from 1 minute to 99 days & run time setting from 5 seconds to 99 hours
- Manual on watering feature from 1 minute to 99 hours



Global Quick Connect Adapter

AQUASMART WATER TIMER BDS7467

- Soft touch easy dial operation
- Replaces broken or leaking hose couplings without restricting water flow
- Timer can be set for up to 2 hours of continuous watering



2-IN-1 SPRINKLER NOZZLE BDS7512

- 3 Patterns: shower, mist and jet plus sprinkler pattern
- Lightweight ABS with TPR and rubber accents
- Covers up to 710 sq. feet / 66 sq. m.



PREMIUM HOSE NOZZLE BDS7452

- Adjusts from extra wide spray to heavy stream
- Heavy duty rubber material



Global Quick Connect Adapter

FIREMAN HOSE NOZZLE BDS7453

- Adjusts from extra wide spray to heavy stream
- Pull lever allows continuous spray
- Insulated comfort grip
- Non-corrosive body

NEW



DELUXE FATMAX® HOSE REEL BDS7980

- Swivels 180 degrees to increase your working area
- Mounting hardware included
- Different mounting modes for whatever suits your workplace
- Retracting system for automatically recoiling hose
- Includes 65' Polyfusion Professional Water Hose
- Optional stand



HOSE REEL BDS7471

- Fits hose size up to 100 feet / 30.48 m
- Simple click and lock assembly

BDS7471P
• 27 Pieces per pallet



AUTOMATIC HOSE REEL BDS6620

- Swivels 180 degrees to increase your working area
- Mounting hardware included
- Different mounting modes for whatever suits your workplace
- Retracting system for automatically recoiling hose

ACCUSCAPE® HOSE ENDS



4 WAY HOSE CONNECTOR BDS6715

- Connects 4 hoses to one faucet
- Adjustable on/off switch
- High impact ABS construction



Global Quick Connect Adapter

2 IN. / 5.08 CM METAL SWEEPER NOZZLE BDS7455

- Durable die-cast metal construction
- Powerful jet spray pattern
- Rubber grip



BRASS COMPRESSION HOSE MENDER BDS7480

- ½ in. 12mm



DELUXE HOSE SHUT OFF CONNECTOR BDS6713

- Soft protective cap
- Heavy duty die-cast metal body



COMPRESSION HOSE MENDER BDS7479

- Aluminium cap
- ½ in. 12mm



POLY COMPRESSION HOSE MENDER BDS7481

- ½ in. 12mm



**ALUMINIUM QUICK CONNECTOR
WITH WATER STOP** BDS7473

- Aluminium cap
- ½ in. 12mm



**ALUMINIUM QUICK CONNECTOR
WITH FLOW THROUGH** BDS7476

- Aluminium cap
- ½ in. 12mm



**POLY QUICK CONNECTOR
WITH WATER STOP** BDS7475

- ½ in. 12mm



**POLY QUICK CONNECTOR
WITH FLOW THROUGH** BDS7478

- ½ in. 12mm



**BRASS QUICK CONNECTOR
WITH WATER STOP** BDS7474

- ½ in. 12mm



**BRASS QUICK CONNECTOR
WITH FLOW THROUGH** BDS7477

- ½ in. 12mm

ACCUSCAPE® HOSE ENDS



2 WAY HOSE CONNECTOR BDS7482

- Connects two hoses to one faucet
- ¾ in. 19mm
- On / Off switch
- Durable ABS construction
- Aluminium adapters



DELUXE 2 WAY HOSE CONNECTOR BDS6714

- Connects 2 hoses to one facet
- Soft protective cap
- Heavy duty die-cast metal body



BRASS 3 WAY CONNECTOR BDS7484

- All brass construction



BRASS 2 WAY HOSE CONNECTOR BDS7483

- All brass construction
- On / Off switch



ABS 3 WAY CONNECTOR BDS7485

- Durable ABS construction



ABS 2 WAY HOSE CONNECTOR BDS7500

- Plastic 2 way coupling with shut-off valve
- Connects two hoses to one faucet
- On / Off switch
- Durable ABS construction



RUBBER HOSE WASHERS BDS7454

- Replaces broken hose washers
- Provides a water tight seal
- Qty: 10 Pcs



**3/4 IN. / 19 MM
FILTERED HOSE WASHERS** BDS7456

- Protects watering tools from harmful debris
- Stainless steel mesh
- Qty: 4 Pcs



**BRASS FAUCET
ADAPTOR FEMALE** BDS7486

- Brass connector with quick disconnect
- 3/4 in. 19mm



**ABS FAUCET
ADAPTOR FEMALE** BDS7487

- ABS connector with quick disconnect
- 3/4 in. 19mm



**BRASS ACCESSORY
ADAPTOR MALE** BDS7488

- Brass connector with quick disconnect



**POLY ACCESSORY
ADAPTOR MALE** BDS7490

- ABS connector with quick disconnect



BRASS JOINER BDS7489

- All brass construction



PLASTIC JOINER BDS7491

- Durable ABS construction

GARDEN HOSE



FATMAX® PROFESSIONAL GARDEN HOSE



PROFESSIONAL GARDEN HOSE

- 500 PSI • 5/8 IN. Diameter
- Patented faucet and accessory ready connections
- Fully Prop 65 compliant

YELLOW HOSES:

25 FT	BDS6649
50 FT	BDS6650
75 FT	BDS6651
100 FT	BDS6652
150 FT	BDS6653

BLACK HOSES:

25 FT	BDS6649B
50 FT	BDS6650B
75 FT	BDS6651B
100 FT	BDS6652B
150 FT	BDS6653B



Polyfusion Technology®

Combines smart compounds making this hose lightweight and strong

Ultimate Weather Performance

Provides outstanding performance with temperatures in hot and cold climates

AntiKink® Technology

Simply let hose untwist and pull to where the hose is needed



GLOBAL PROFESSIONAL GARDEN HOSE

- 34 BAR • 12.7 MM Diameter
- Built-in shut off valve allows for quick connect and disconnect

YELLOW HOSES:

10 M	BDS7337
15 M	BDS7338
20 M	BDS7339
30 M	BDS7340

BLACK HOSES:

10 M	BDS7337B
15 M	BDS7338B
20 M	BDS7339B
30 M	BDS7340B



FATMAX® HEAVY DUTY FABRIC HOSE

**K[®] D U P O N T
KEVLAR™**

NEW



Polyfusion Technology®
Combines smart compounds making this hose lightweight and strong

Max Flow Technology
Dual rib inner core allows for continuous flow

ExoJacket® Technology with KEVLAR™
Durable outer fabric reinforced with KEVLAR™ providing superior durability and performance



EXOJACKET® HEAVY DUTY FABRIC HOSE

- 500 PSI • 5/8 IN. Diameter
- AntiKink® Technology
- Field serviceable couplings simply repair and use again
- Fully Prop 65 compliant

**K[®] D U P O N T
KEVLAR™**

50 FT	BDS7958
-------	---------

GLOBAL EXOJACKET® HEAVY DUTY FABRIC HOSE

- 34 Bar • 12mm Diameter
- AntiKink® Technology
- Built-in shut off valve allows for quick connect and disconnect

**K[®] D U P O N T
KEVLAR™**

15 M	BDS7962
------	---------

FATMAX® HEAVY DUTY FABRIC HOSE



Polyfusion Technology®
Combines smart compounds making this hose lightweight and strong

Max Flow Technology
Dual rib inner core allows for continuous flow

ExoJacket® Technology
Durable outer woven fabric acts as a shield to protect inner core tubing



EXOJACKET® HEAVY DUTY FABRIC HOSE

- 500 PSI • 5/8 IN. Diameter
- AntiKink® Technology
- Field serviceable couplings simply repair and use again
- Fully Prop 65 compliant

25 FT	BDS7388
50 FT	BDS7389
75 FT	BDS7390
100 FT	BDS7391

GLOBAL EXOJACKET® HEAVY DUTY FABRIC HOSE

- 34 Bar • 12mm Diameter
- AntiKink® Technology
- Built-in shut off valve allows for quick connect and disconnect

10 M	BDS7392
15 M	BDS7393
20 M	BDS7394
30 M	BDS7395

FATMAX® HEAVY PROFESSIONAL LEADER HOSE

NEW

PROFESSIONAL LEADER HOSE

- 500 PSI
- 5/8 IN. Diameter
- Ultimate weather performance
- PolyFusion® Technology
- AntiKink® Technology
- Patented faucet and accessory ready connections
- Fully Prop 65 compliant

3 FT	BDS7913
6 FT	BDS7913
9 FT	BDS7913



NEW

RUBBER HOT WATER HOSE

- 400 PSI
- 3/4 IN. / 19MM Diameter
- Withstands temps up to 180°F
- Crush proof couplings
- All rubber

RED

50 FT	BDS7545
75 FT	BDS7541
100 FT	BDS7546



PROFESSIONAL HOT WATER HOSE

- 500 PSI
- 5/8 IN. OR 3/4 IN. Diameter
- Ultimate weather performance
- Patented faucet and accessory ready connections
- Fully Prop 65 compliant

NEW

	5/8 IN.	3/4 IN.
25 FT	BDS7936	BDS7940
50 FT	BDS7937	BDS7941
75 FT	BDS7938	BDS7942
100 FT	BDS7939	BDS7943



Polyfusion® Technology
Combines smart compounds making this hose lightweight and strong

Hot Water Performance
Provides outstanding performance even in temperatures up to 198°F / 92°C

AntiKink® Technology
Simply let hose untwist and pull to where the hose is needed

PROFESSIONAL HOT WATER HOSE





- 34 BAR
- 12 MM. OR 19 MM. Diameter
- Ultimate weather performance
- Built-in shut off valve allows for quick connect and disconnect

NEW

	12.7 MM	19 MM
10 M	BDS7953	BDS7965
15 M	BDS7954	BDS7966
20 M	BDS7955	BDS7967
30 M	BDS7956	BDS7968



ACCUSCAPE® HEAVY DUTY FABRIC HOSE



Patented Quick Repair Couplings®

Field serviceable couplings simply repair and use again

Compact For Easy Storage

Hose expands up to 2X original size, when not in use hose shrinks back to convenient storage size

Forged Aluminium Couplings

Durable crush proof couplings with sleeve to reduce kinking at the faucet



DURAFLEXPRO™ HEAVY DUTY FABRIC HOSE

- 300 PSI • 5/8 IN. Diameter
- Lightweight, will not scuff delicate surfaces
- Fully Prop 65 compliant

EXPANDED LENGTH

25 FT	BDS7326
50 FT	BDS7327
75 FT	BDS7328
100 FT	BDS7329

NEW

EXPANDS
2X
ORIGINAL
LENGTH



Patented Quick Repair Couplings®

Field serviceable couplings simply repair and use again

Compact For Easy Storage

Hose expands up to 2X original size, when not in use hose shrinks back to convenient storage size

ABS Couplings

Durable, lightweight couplings will not scratch or scuff delicate surfaces



**DURAFLEX®
EXPANDING HOSE**

- 300 PSI • 5/8 IN. Diameter
- Lightweight, will not scuff delicate surfaces
- Fully Prop 65 compliant

EXPANDED LENGTH

25 FT	BDS7932
50 FT	BDS7933
75 FT	BDS7934
100 FT	BDS7935

**GLOBAL DURAFLEX®
EXPANDING HOSE**

- 20 BAR • 16 MM Diameter
- Lightweight, will not scuff delicate surfaces
- Patented faucet ready connections

EXPANDED LENGTH

10 M	BDS7945
15 M	BDS7946
20 M	BDS7947
30 M	BDS7948


FATMAX® PROFESSIONAL GARDEN HOSE

FATMAX® PROFESSIONAL GARDEN HOSE 7 PATTERN SPRAY NOZZLE COMBO BDS7804



- 500 PSI • 5/8 IN. Diameter
- Field serviceable couplings simply repair and use again
- 7 Selectable patterns: jet, shower, fan, cone, center, mist, flat and soaker
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger
- Hot water safe nozzle

GLOBAL FATMAX® PROFESSIONAL GARDEN HOSE 7 PATTERN SPRAY NOZZLE COMBO



Global
Quick
Connect
Adapter

- 34 BAR • 12MM Diameter
- Built-in shut off valve allows for quick connect and disconnect
- Hot water safe nozzle

Polyfusion Technology®

Combines smart compounds making this hose lightweight and strong

Ultimate Weather Performance

Provides outstanding performance with temperatures in hot and cold climates

Anti Kink® Technology

Simply let hose untwist and pull to where the hose is needed



FATMAX® HEAVY DUTY FABRIC HOSE

EXOJACKET® HEAVY DUTY FABRIC HOSE 7 PATTERN SPRAY NOZZLE COMBO BDS7818



- 500 PSI • 5/8 IN. Diameter
- Field serviceable couplings simply repair and use again
- 7 Selectable patterns: jet, shower, fan, cone, center, mist, flat and soaker
- Durable ABS body with TPR comfort grip
- Zinc alloy inner core
- Nylon double injection trigger
- Hot water safe nozzle

GLOBAL EXOJACKET® HEAVY DUTY FABRIC HOSE 7 PATTERN SPRAY NOZZLE COMBO



Global Quick Connect Adapter

- 34 BAR • 12MM Diameter
- Built-in shut off valve allows for quick connect and disconnect
- Hot water safe nozzle

Polyfusion Technology®

Combines smart compounds making this hose lightweight and strong

Max Flow Technology


Dual rib inner core allows for continuous flow

ExoJacket® Technology

Durable outer woven fabric acts as a shield to protect inner core tubing



DURAFLEXPRO™ FABRIC HOSE COMBOS



EXPANDS
2X
ORIGINAL
LENGTH

Patented Quick Repair Couplings®

Field serviceable couplings simply repair and use again

Compact For Easy Storage

Hose expands up to 2X original size, when not in use hose shrinks back to convenient storage size


Forged Aluminium Couplings

Durable crush proof couplings with sleeve to reduce kinking at the faucet



DURAFLEXPRO™ HEAVY DUTY FABRIC HOSE 7 PATTERN SPRAY NOZZLE COMBO BDS7842

- 300 PSI • 5/8 IN. Diameter
- Lightweight, will not scuff delicate surfaces



- 3 Selectable patterns: shower, mist and jet plus sprinkler pattern
- Durable ABS body with TPR and rubber accents
- Covers up to 710 sq. feet / 66 sq. m.

DURAFLEXPRO™ FABRIC HOSE COMBOS

DURAFLEXPRO™ HEAVY DUTY FABRIC HOSE 6 PATTERN SPRAY NOZZLE COMBO BDS7846



- 300 PSI • 5/8 IN. Diameter
- 50 FT. (Expanded length)
- Lightweight, will not scuff delicate surfaces

-
- 6 Selectable patterns: jet, shower, center, cone, flat, mist, and soaker
 - Durable ABS body with TPR comfort grip
 - Lightweight

DURAFLEXPRO™ HEAVY DUTY FABRIC HOSE 7 PATTERN SPRAY NOZZLE COMBO BDS7816



- 300 PSI • 5/8 IN. Diameter
- Lightweight, will not scuff delicate surfaces

-
- 7 Selectable patterns: jet, shower, fan, cone, center, mist, flat and soaker
 - Durable ABS body with TPR comfort grip
 - Lightweight

EXPANDS
2X
ORIGINAL
LENGTH



Patented Quick Repair Couplings®

Field serviceable couplings simply repair and use again

Compact For Easy Storage


Hose expands up to 2X original size, when not in use hose shrinks back to convenient storage size

ABS Couplings

Durable, lightweight couplings will not scratch or scuff delicate surfaces




**DURAFLEX® HEAVY DUTY FABRIC HOSE
2 IN 1 SPRINKLER NOZZLE COMBO** BDS7844



- 300 PSI • 5/8 IN. Diameter
- Lightweight, will not scuff delicate surfaces
- 3 Selectable patterns: shower, mist and jet plus sprinkler pattern
- Durable ABS body with TPR and rubber accents
- Covers up to 710 sq. feet / 66 sq. m.

**GLOBAL DURAFLEX® HEAVY DUTY FABRIC HOSE
2 IN 1 SPRINKLER NOZZLE COMBO**



Global Quick Connect Adapter

- 20 BAR • 16 MM Diameter
- Lightweight, will not scuff delicate surfaces
- Patented faucet ready connections

DURAFLEX® FABRIC HOSE COMBOS

DURAFLEX® HEAVY DUTY FABRIC HOSE 6 PATTERN SPRAY NOZZLE COMBO BDS7845



- 300 PSI • 5/8 IN. Diameter
 - Lightweight, will not scuff delicate surfaces
-
- 6 Selectable patterns: jet, shower, center, cone, flat, mist, and soaker
 - Durable ABS body with TPR comfort grip
 - Lightweight

GLOBAL DURAFLEX® HEAVY DUTY FABRIC HOSE 6 PATTERN SPRAY NOZZLE COMBO



Global Quick Connect Adapter

- 20 BAR • 16 MM Diameter
- Lightweight, will not scuff delicate surfaces
- Patented faucet ready connections

DURAFLEX® HEAVY DUTY FABRIC HOSE 7 PATTERN NOZZLE COMBO BDS7843



- 300 PSI • 5/8 IN. Diameter
 - Lightweight, will not scuff delicate surfaces
-
- 7 Selectable patterns: jet, shower, center, cone, flat, mist, and soaker
 - Durable ABS body with TPR comfort grip
 - Lightweight

GLOBAL DURAFLEX® HEAVY DUTY FABRIC HOSE 7 PATTERN NOZZLE COMBO



Global Quick Connect Adapter

- 20 BAR • 16 MM Diameter
- Lightweight, will not scuff delicate surfaces
- Patented faucet ready connections



PRUNERS AND SHEARS



GRIPHOOK® DESIGN KEEPS BRANCHES IN THEIR PLACE

FATMAX® PRUNERS AND SHEARS

Bypass pruners: Best used on live growth for smooth clean cuts

GRIPHOOK® BYPASS PRUNER BDS6036

- Forged steel blade with titanium carbo-nitride (TiCN) coating provides superior hardness and corrosion resistance
- Innovative hook design keeps branches in place during cutting
- Comfort molded grip
- Secure lock button keeps blade in place when not in use



1 IN
2.54 CM



Cutting Capacity



Anti-Slip GripHook®

1 IN. **2.54** CM. **TiCN**
TITANIUM CARBON NITRIDE BLADE COATING
CUTTING CAPACITY

Forged Steel Blade

Titanium carbo-nitride (TiCN) coating provides strength and retains its sharpness

Innovative Hook Design

Griphook® keeps branches in place during cutting

Secure Lock

Button easily locks to secure blade in place when not in use



HYBRID FORGED BYPASS PRUNER BDS6054

- Forged steel blade with titanium carbo-nitride (TiCN) coating provides superior hardness and corrosion resistance
- Forged aluminium body
- Comfort molded grip
- Secure lock button keeps blade in place when not in use

COMPACT BYPASS PRUNER BDS6055

- Steel blade with titanium carbo-nitride (TiCN) coating provides superior hardness and corrosion resistance
- Comfort molded grip
- Secure lock button keeps blade in place when not in use

3/4 IN. **1.90** CM. **TiCN**
TITANIUM CARBON NITRIDE BLADE COATING
CUTTING CAPACITY

1/2 IN. **1.27** CM. **TiCN**
TITANIUM CARBON NITRIDE BLADE COATING
CUTTING CAPACITY

ACCUSCAPE® PROSERIES PRUNERS AND SHEARS


Bypass pruners: Best used on live growth for smooth clean cuts

NYLON HANDLE BYPASS PRUNER BDS6038

- Titanium coated blade retains its sharpness
- Lightweight ABS handles with ergonomic grip
- Safety control lock keeps blade in place when not in use

1 IN.	2.54 CM.	Ti TITANIUM BLADE COATING
-----------------	--------------------	--

CUTTING CAPACITY



Titanium Coated Blade

Titanium coated blade retains its sharpness

Lightweight Handles

Lightweight, non-slip grip handles reduces fatigue

Secure Lock

Button easily locks to secure blade in place when not in use




FORGED ALUMINIUM BYPASS PRUNER BDS6008

- Titanium coated blade retains its sharpness
- Lightweight cast aluminium handles with ergonomic grip
- Lock keeps blade in place when not in use

3/4 IN.	1.90 CM.	Ti TITANIUM BLADE COATING
-------------------	--------------------	--

CUTTING CAPACITY



PROFESSIONAL BYPASS PRUNER BDS6007


- Titanium coated blade retains its sharpness
- Lightweight cast aluminium handles with ergonomic grip
- Forged aluminium construction
- Lock keeps blade in place when not in use

3/4 IN.	1.90 CM.	Ti TITANIUM BLADE COATING
-------------------	--------------------	--

CUTTING CAPACITY

ACCUSCAPE® PROSERIES BYPASS PRUNER BDS6088

- Carbon steel blade with titanium coating
- Non-slip grips
- Drop forged handles



Titanium Coated Blade

Titanium coated blade retains its sharpness

Quick Release Lock

Conveniently switches blade from open to close quickly for safe storing when not in use



Lightweight Handles

Lightweight, non-slip grip handles reduces fatigue



QUICK RELEASE BYPASS PRUNER BDS6010

- Titanium coated blade retains its sharpness
- Squeeze and release lock
- Lightweight cast aluminium handles with ergonomic grip



ACCUSCAPE® PRUNERS AND SHEARS

Bypass pruners: Best used on live growth for smooth clean cuts



ERGONOMIC COMPACT BYPASS PRUNER BDS6066

- Heat-treated blade stays sharper longer
- High carbon steel blade
- Designed for smaller hands

1/2 ^{IN.}	127 ^{CM.}	IFLON™ NON-STICK BLADE COATING
CUTTING CAPACITY		



ERGONOMIC COMPACT ANVIL PRUNER BDS6067

- Heat-treated blade stays sharper longer
- High carbon steel blade
- Designed for smaller hands

1/2 ^{IN.}	127 ^{CM.}	IFLON™ NON-STICK BLADE COATING
CUTTING CAPACITY		



BYPASS GEAR PRUNER BDS6068

- Carbon steel blade with titanium coating
- Aluminium alloyed lower grip
- Nylon and fiberglass upper grip
- Multi-gear function


3/4 ^{IN.}	190 ^{CM.}	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		



ANVIL GEAR PRUNER BDS6069

- Carbon steel blade with titanium coating
- Aluminium alloyed lower grip
- Nylon and fiberglass upper grip
- Multi-gear function

3/4 ^{IN.}	190 ^{CM.}	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		



PROFESSIONAL GRADE BYPASS PRUNER BDS6071

- Heat-treated blade stays sharper longer
- Non-slip grips



5/8	<small>IN.</small>	158	<small>CM.</small>
CUTTING CAPACITY			



DROP FORGED PRUNER WITH POUCH BDS6072

- Includes pouch with secure latch for belt
- Precision ground blade
- Non-slip grips

3/4	<small>IN.</small>	190	<small>CM.</small>
CUTTING CAPACITY			



ALUMINIUM BYPASS PRUNER BDS6089

- Die cast aluminium construction
- Adjustable tension safety lock
- Carbon steel blade
- Non-slip grips

1/2	<small>IN.</small>	127	<small>CM.</small>
CUTTING CAPACITY			



STEEL ANVIL PRUNER BDS6090

- Carbon steel blade
- Steel body with PVC grip
- Finger guard for added comfort
- Non-slip grips

1/2	<small>IN.</small>	127	<small>CM.</small>
CUTTING CAPACITY			

ACCUSCAPE® PRUNERS AND SHEARS

NEEDLENOSE HARVESTER BDS6011

- Titanium coated blades retain their sharpness
- Non-slip grips

2 ^{IN.}	5.08 ^{CM.}	Ti TITANIUM BLADE COATING
BLADE LENGTH		



Needlenose Design
Easily prune and gather without harming delicate fruit

Binding Lock
Convenient snap lock keeps blades closed when not in use

Titanium Coated Blade
Titanium coated blade retains its sharpness



COMPACT GARDEN SHEARS BDS6056

- Steel blade with titanium carbo-nitride (TiCN) coating provides superior hardness and corrosion resistance
- Comfort molded grip
- Secure lock button keeps blade in place when not in use


TiCN TITANIUM CARBON NITRIDE BLADE COATING
--



NEEDLENOSE HARVESTER BDS6012

- Titanium coated blades retain their sharpness
- Non-slip grips

1½ ^{IN.}	3.81 ^{CM.}	Ti TITANIUM BLADE COATING
BLADE LENGTH		



FLORAL SHEARS WITH CASE BDS6086

- TPR Grips
- ABS body
- ABS sheath

2 ^{IN.} **5.08** ^{CM.}
BLADE LENGTH



Durable SK5 Steel Blade
Reduces friction and provides a very powerful, clean cut

Thorn Stripper
Used in the garden or at home preparing floral arrangements

ABS Sheath
Conveniently includes lightweight sheath with belt loop to safely transport tool around the garden



CURVED BLADE HARVESTER BDS6014

- Titanium coated blades retain their sharpness
- Non-slip grips
- Rounded blade tip reduces the risk of harming delicate fruit

1½ ^{IN.} **3.81** ^{CM.} **Ti**
TITANIUM BLADE COATING
BLADE LENGTH



CURVED BLADE HARVESTER BDS6013

- Titanium coated blades retain their sharpness
- Non-slip grips
- Rounded blade tip reduces the risk of harming delicate fruit

2 ^{IN.} **5.08** ^{CM.} **Ti**
TITANIUM BLADE COATING
BLADE LENGTH

ACCUSCAPE® PRUNERS AND SHEARS

STAINLESS STEEL HOUSEHOLD SHEARS BDS6091

- Great for the garden and kitchen
- Stainless steel blades
- Multi-purpose use



PRUNING COMBO PACK BDS6888

- Compound Action Lopper (BDS6306)
- Quick Release Bypass Pruner (BDS6010)



BDS6888CD
• 24 Pieces per display




1 1/2 IN. **3.81** CM.
CUTTING CAPACITY



5/8 IN. **1.58** CM.
CUTTING CAPACITY

PROFESSIONAL CUTTING COMBO BDS6811

- Titanium coated blades retain their sharpness
- Bypass Pruner (BDS6008) Steel Needlenose Harvester (BDS6011)
- Direct import only



3/4 IN. **1.90** CM.
CUTTING CAPACITY



2 IN. **5.08** CM.
BLADE LENGTH



PROFESSIONAL CUTTING COMBO BDS6810

- Titanium coated blades retain their sharpness
- Bypass Pruner (BDS6007) and Steel Curved Harvester (BDS6013)
- Direct import only

Ti
TITANIUM
BLADE COATING




3/4 IN. **1.90** CM.
CUTTING CAPACITY



2 IN. **5.08** CM.
BLADE LENGTH

2 PIECE FORGED PRUNER SET BDS6015

- Bypass Pruner / Floral Shears Set
- Drop forged, hardened steel construction
- Easily taken apart for cleaning and sharpening
- Slip resistant double dipped grip



BDS6015D



3/4 IN. **1.90** CM.
CUTTING CAPACITY




CUTTING COMBOS

Bypass pruners: Best used on live growth for smooth clean cuts

DROP FORGED PRUNING SET BDS7825

- Heavy duty springs
- Easy to take apart for sharpening and cleaning
- Comfortable cushion grips



3/4 ^{IN.} **1.90** ^{CM.}
CUTTING CAPACITY



BYPASS/ANVIL PRUNER COMBO SET BDS7820


- Die cast aluminium construction
- Textured TPR grips
- Easy locking mechanism
- Carbon steel blades



1/2 ^{IN.} **127** ^{CM.}
CUTTING CAPACITY



1/2 ^{IN.} **127** ^{CM.}
CUTTING CAPACITY




PROFESSIONAL CUTTING COMBO BDS7805

- Ergonomic Compact Pruner (BDS6066)

1/2 IN.	127 CM.
CUTTING CAPACITY	

- Bypass Lopper (BDS6345)

1 3/4 IN.	4.44 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING




PROFESSIONAL CUTTING COMBO BDS7806

- Bypass Pruner (BDS6071)

5/8 IN.	190 CM.
CUTTING CAPACITY	

- Bypass Lopper (BDS6345)

1 3/4 IN.	4.44 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING



PROFESSIONAL CUTTING COMBO BDS7807

- Bypass Gear Pruner (BDS6068)

1/2 IN.	127 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING

- Compound Telescopic Lopper (BDS6343)

1 1/2 IN.	3.81 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING



PROFESSIONAL CUTTING COMBO BDS7808

- Bypass Pruner (BDS6007)

3/4 IN.	190 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING

- Telescopic Bypass Lopper (BDS6313)

1 1/2 IN.	3.81 CM.	Ti
CUTTING CAPACITY		TITANIUM BLADE COATING


CUTTING COMBOS

Bypass pruners: Best used on live growth for smooth clean cuts




ACCUSCAPE® PROSERIES CUTTING COMBO BDS7809

- Nylon Handle Bypass Pruner (BDS6038)



CUTTING CAPACITY

- 31 IN. / 78.74 CM Forged Bypass Lopper (BDS6325)




CUTTING CAPACITY



FATMAX® CUTTING COMBO BDS7810

- Griphook® Bypass Pruner (BDS6036)



CUTTING CAPACITY

- 32 IN. / 81.28 CM Griphook® Forged Bypass Lopper (BDS6324)



CUTTING CAPACITY

3 PIECE COMBO SET BDS7821

- 24 IN. / 60.96 CM Bypass Lopper
- 8.5 IN. / 21.59 CM Wavy Blade Hedge Shears
- 8 IN. / 20.32 CM Bypass Pruner



1 ^{3/4}	4.44
IN.	CM.

CUTTING CAPACITY



1 ^{1/2}	127
IN.	CM.

CUTTING CAPACITY

3 PIECE COMBO SET BDS7822

- 24 IN. / 60.96 CM Bypass Lopper
- 8 IN. / 20.32 CM Bypass Pruner
- Aluminium Trowel



1 ^{3/4}	4.44
IN.	CM.

CUTTING CAPACITY



1 ^{1/2}	127
IN.	CM.

CUTTING CAPACITY

LOPPERS AND HEDGE SHEARS



GRIPHOOK® DESIGN KEEPS BRANCHES IN THEIR PLACE

GRIPHOOK® BYPASS LOPPER BDS6324

- Forged steel blade with Titanium Carbo-Nitride (TiCN) coating provides strength and retains sharpness
- Innovative hook design keeps branches in place during cutting
- SyncDrive® technology provides more cutting force than non-gear-driven loppers

2 IN. **5.08** CM. **TiCN**
TITANIUM CARBON NITRIDE BLADE COATING
CUTTING CAPACITY



Forged Steel Blade
Titanium carbo-nitride (TiCN) coating provides strength and retains its sharpness

Innovative Hook Design
Griphook® keeps branches in place during cutting

SyncDrive® Technology
Gear driven power increases force and dramatically reduces strain and fatigue



ACCUSCAPE® PROSERIES LOPPERS AND HEDGE SHEARS

FORGED BYPASS LOPPER BDS6325

- Forged steel blade with titanium coating
- Innovative hook design keeps branches in place during cutting
- Hybrid ergonomic steel and polymer handles offer maximum strength



IN. 1 3/4	CM. 4.44	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		

Forged Steel Blade

Titanium coating provides strength and retains its sharpness

Innovative Hook Design

Griphook® keeps branches in place during cutting

Hybrid Body

Aluminium body combined with polymer handles offers maximum strength that's lightweight

COMPOUND ACTION BYPASS LOPPER BDS6305

- Titanium coated blade retains its sharpness
- Compound action increases cutting power
- Curved handles increase leverage
- Ergonomic non-slip grips



IN. 1 1/2	CM. 3.81	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		

COMPOUND ACTION BYPASS LOPPER BDS6306



- Titanium coated blade retains its sharpness
- Compound action increases cutting power
- Curved handles increase leverage
- Ergonomic non-slip grips



IN. 1 1/2	CM. 3.81	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		

SYNCDRIVE® ANVIL LOPPER BDS6333

- Titanium carbo-nitride (TiCN) coating provides strength and retains sharpness
- Oversized control grip
- SYNCDRIVE® technology provides more cutting force than non-gearred loppers
- Shock absorbing bumpers



Carbo-Nitride Coating

Titanium carbo-nitride (TiCN) coating provides strength and retains its sharpness

Oversized Control Grips

Non-slip oversized rubber grips allow for increased leverage and control


SyncDrive® Technology

Gear driven power increases force and dramatically reduces strain and fatigue




SYNCDRIVE® BYPASS LOPPER BDS6334

- Titanium carbo-nitride (TiCN) coating provides strength and retains sharpness
- Oversized control grip
- SYNCDRIVE® technology provides more cutting force than non-gearred loppers
- Shock absorbing bumpers



SYNCDRIVE® BYPASS LOPPER BDS6335

- Titanium carbo-nitride (TiCN) coating provides strength and retains sharpness
- Oversized control grip
- SYNCDRIVE® technology provides more cutting force than non-gearred loppers
- Shock absorbing bumpers



ACCUSCAPE® LOPPERS AND HEDGE SHEARS

BYPASS LOPPER BDS6345

- Lightweight triangular steel tube handles
- Titanium coated blade retains its sharpness
- Oil filled bumper absorbs up to 40% more impact than traditional shock bumpers, reducing fatigue in hands, arms, and shoulders

1 ^{IN.} 3/4	4.44 ^{CM.}	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		



BYPASS LOPPER BDS6351

- Lightweight oval steel handles provide leverage to slice through heavy branches
- Heat-treated blade stays sharper longer
- Non-slip grips

1 ^{IN.}	2.54 ^{CM.}
CUTTING CAPACITY	



TELESCOPIC COMPOUND ACTION BYPASS LOPPER BDS6313

- Titanium coated blade retains its sharpness and resists corrosion
- Ergonomic non-slip grips
- Handles extend for a better reach

1 ^{IN.} 1/2	3.81 ^{CM.}	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		



TELESCOPIC COMPOUND ACTION ANVIL LOPPER BDS6312

- Titanium coated blade retains its sharpness
- Ergonomic non-slip grips
- Handles extend for a better reach


1 ^{IN.} 1/2	3.81 ^{CM.}	Ti TITANIUM BLADE COATING
CUTTING CAPACITY		



ACCUSCAPE® LOPPERS AND HEDGE SHEARS

DROP FORGED SYNCDRIVE® BYPASS LOPPER BDS6350

- Titanium coated blade retains its sharpness
- Ergonomic non-slip grips
- Drop forged
- SYNCDRIVE® technology provides more cutting force than non-geared loppers



Forged Steel Blade

Titanium coating provides strength and retains its sharpness

Textured Rubber Grips

Provide a secure, non-slip grip in the work environment

SyncDrive® Technology

Gear driven power increases force and dramatically reduces strain and fatigue


TELESCOPIC COMPOUND ACTION BYPASS LOPPER BDS6343

- Oil filled bumper absorbs up to 40% more impact than traditional shock bumpers, reducing fatigue in hands, arms and shoulders
- Triangle shaped steel handles for greater leverage and strength
- Extends for extra reach and leverage
- Titanium coated blade retains its sharpness and resists corrosion



COMPOUND ACTION RATCHET LOPPER BDS6344

- Carbon steel blade with titanium coating
- Patented ratchet action for heavy duty pruning with minimal effort
- Titanium coated blade retains its sharpness and resists corrosion
- Smooth cutting action and quality you can feel
- Bypass blade for pruning live growth to promote new and structured growth



ACCUSCAPE® LOPPERS AND HEDGE SHEARS

BYPASS LOPPER BDS6352

- Heat-treated carbon steel head
- Shock absorbing wood handles
- Heat-treated blade stays sharper longer

1^{IN.}
3/4 **4.44**^{CM.}
CUTTING CAPACITY



BYPASS LOPPER BDS6353

- High carbon steel blade
- Heat-treated blade stays sharp longer
- Perfect size for small hands and close work
- Non-slip grips

1^{IN.} **2.54**^{CM.}
CUTTING CAPACITY



HEDGE SHEARS BDS6126

- Triangular steel tube handles
- Straight edge blades
- Heat-treated carbon steel blades
- Soft TPR grips



SERRATED HEDGE SHEARS BDS6133

- Serrated high carbon steel blades with tension control
- Lightweight steel handles
- Oil filled bumper absorbs up to 40% more impact than traditional shock bumpers, reducing fatigue in hands, arms and shoulders



LOPPING

HEDGE SHEARS BDS6125

- For trimming bushes and hedges
- Triangular steel tube handles
- Lopper head for dual purpose gardening

1½ IN. **3.81** CM.
CUTTING CAPACITY



Heat Treated

Our tool body is entirely heat treated making sharpening the tool easy and keeps the tool strong

Dual Purpose Shears

Side bypass lopper with impressive 1.5 inch cutting capacity to tackle tough branches during clearing

Clean Cuts

Simple and efficient blades cut with a clean scissor like action

TELESCOPIC

HEDGE SHEARS BDS6314

- Heat treated steel blades
- Ergonomic non-slip grips
- Handles extend for a better reach



LOPPING

HEDGE SHEARS BDS6125

- For trimming bushes and hedges
- Triangular steel tube handles
- Lopper head for dual purpose gardening



ACCUSCAPE® LOPPERS AND HEDGE SHEARS

TELESCOPIC SERRATED HEDGE SHEARS BDS6124

- Carbon steel blades
- Serrated edge with tension control
- Extends for extra reach and leverage
- Oil filled bumper absorbs up to 40% more impact than traditional shock bumpers, reducing fatigue in hands, arms, and shoulders



Extending Handles

Lock and unlock to extend reach safely from 12 to 25 inches

Self Sharpening

Blades self sharpen while in use creating a long lasting tool in the workplace

Oil Filled Bumpers

Absorbs shock and resistance up to 40% more than traditional shock absorbers

COMPOUND ACTION HEDGE SHEARS BDS6107

- Heat treated steel blades
- Compound action increases cutting power
- Curved handles increase leverage
- Ergonomic non-slip grips



WAVY BLADE HEDGE SHEARS BDS6105

- Heat treated steel blades
- Curved handles increase leverage
- Ergonomic non-slip grips
- Non-stick coated blades



FORGED STEEL GRASS SHEARS BDS7223

- Durable forged steel design
- Easy to sharpen blades
- Ideal for cutting grass, sod and ground cover



Forged Steel Blade

Durable blade assists in cutting grass, sod and ground cover with ease

Heat Treated

Our tool body is entirely heat treated making sharpening the tool easy and keeps the tool strong

Secure Lock

Button easily locks to secure blade in place when not in use



GRASS SHEARS - 5 POSITION BDS6206

- Non-stick coated blades
- Great for lawn edging and other trimming work
- High carbon steel blades



GRASS SHEARS - 6 POSITION BDS6207

- Non-stick coated blades
- Great for lawn edging and other trimming work
- Heavy-duty TPR construction
- Comfort grip with knuckle guard

SAWS



FATMAX® BOW SAW BDS6510

- High tension control knob
- Durable knuckle guard
- Comfort molded grip
- 24 IN. / 60.96 CM Removable blade



High Tension Control Knob



Durable Hand Guard

High Tension Control Knob

Increases safety and adds additional control

Comfortable Hand Grip

Molded grip reduces hand fatigue and increases comfort in the workspace

High Quality Blade

High tension steel increases power and efficiency even through heavy use



PRUNING SAW WITH SHEATH BDS6507

- Tempered steel blade with Blade Armor® coating
- Push and pull cutting action
- Rigid poly sheath with belt hook



Blade Armor®



Rigid Poly Sheath With Belt Hook

Blade Armor®

Tempered steel blade with non-stick hardened coating increases tool life

Innovative Teeth

Effective cutting on bushes, branches and more in and push and pull motion

Convenient Carry Case

Rigid poly case with belt loop conveniently holds pruning saw when not in use



7.5 IN / 19.05 CM TURBO FOLDING SAW BDS6556

- Push & pull back cutting action "turbo blade" provides optimal cutting efficiency
- High carbon steel - The best steel for tools, blade folds easily into handle for safe storage
- Heat-treated blades to stay sharp longer



14 IN. / 35.56 CM CURVED PRUNING SAW BDS6557

- "Turbo blade" cuts on push and pull stroke
- Precision sharpened tempered steel blade
- Durable ABS handle





9 IN. / 22.86 CM FOLDING PRUNING SAW BDS6585

- Precision sharpened teeth
- Shock absorbing wood handle
- Blade folds easily into handle for safe storage

FATMAX® PROFESSIONAL CHOPSAW BDS6594-3

- Serrated top edge for sawing
- Curved front blade for clearing
- Rubber grip for a secure hold
- Riveted nylon sheath
- Arm lanyard



Durable Multi-Tool

Sawing, clearing, and chopping options make this an asset to the garden clearing arsenal

Rubber Grip

Tough, rubber non-slip grip and convenient wrist strap provide control for precise and safe clearing

Innovative Teeth

Effective cutting on bushes, branches and more in and push and pull motion

18 IN. / 45.72 CM CHOPSAW BDS6586

- Dual sided saw and knife blade
- Comfort grip
- Includes canvas sheath
- Heat-treated blade stays sharp longer



22 IN. / 55.88 CM PROFESSIONAL GRADE MACHETE BDS6587

- High carbon tempered steel blade with serrated top edge for cutting heavy brush and undergrowth
- Includes canvas sheath
- Molded grip



18 IN. / 45.72 CM PROFESSIONAL GRADE MACHETE BDS6588

- High carbon tempered steel blade with serrated top edge for cutting heavy brush and undergrowth
- Includes canvas sheath
- Molded grip




ACCUSCAPE® SAWS AND HOOKS



21 IN. / 53.34 CM BOW SAW BDS6583

- Push-Pull cutting action "turbo blade" provides optimal cutting efficiency
- Tempered double cut steel blade cuts straight and fast
- Heavy duty tubular steel frame
- Durable knuckle guard



21 IN. / 53.34 CM BOW SAW BDS6559

- Heavy duty tubular steel frame
- Tempered double-cut steel blade
- Swing out grip makes blade replacement fast and easy



24 IN. / 60.96 CM BOW SAW BDS6582

- Push-Pull cutting action "turbo blade" provides optimal cutting efficiency
- Tempered double cut steel blade cuts straight and fast
- Heavy duty tubular steel frame
- Durable knuckle guard



24 IN. / 60.96 CM BOW SAW BDS6562

- Heavy duty tubular steel frame
- Tempered double-cut steel blade
- Swing out grip makes blade replacement fast and easy



30 IN. / 76.2 CM BOW SAW BDS6581

- Push-Pull cutting action "turbo blade" provides optimal cutting efficiency
- Tempered double cut steel blade cuts straight and fast
- Heavy duty tubular steel frame
- Durable knuckle guard



30 IN. / 76.2 CM BOW SAW BDS6561

- Heavy duty tubular steel frame
- Tempered double-cut steel blade
- Swing out grip makes blade replacement fast and easy

**15 IN. / 38.1 CM DOUBLE
EDGE PRUNING SAW** BDS6558

- For dead and live growth
- Wood handle bolted to blade
- Shock absorbing wood handle
- Precision sharpened coarse and fine teeth



**18 IN. / 45.72 CM PIRANHA
BLADE WOOD SAW** BDS6555

- Shock absorbing wood handle
- Tempered Sk5 steel blade



2 PIECE SAW COMBO BDS6560

- 24 IN. / 60.96 CM Bow saw
- Professional folding saw
- Tempered double-cut steel blade
- Pull back cutting action "turbo blade" provides optimal cutting efficiency
- Durable knuckle guard



**HEAVY DUTY CAST ALUMINIUM
TREE PRUNER WITH SAW** BDS6505

- Cast aluminium head for durability
- 12 FT / 3.65 M Telescopic fiberglass pole
- Rope drive, tree limb cutter



12 IN. **30.48** CM.
BLADE LENGTH

ACCUSCAPE® SAWS AND HOOKS

TENSION CONTROL POLE SAW BDS8346

- Double cut saw blade
- Tension spring reduces effort needed to cut high branches
- Extends for extra reach and leverage
- Telescoping pole extends up to 19'
- Lightweight aluminum pole



Patented Pressure Spring

Reduces effort needed to cut high branches

Double Cut Saw Blade

Double serrated blades reduce effort

Telescopic Pole

Lightweight pole reduces stress and increases performance

ROTARY HEAD POLE PRUNER BDS8345

- Rotary action pruner created more cutting force than traditional pole pruners
- Smaller head fits in tight spaces
- Extends for extra reach and leverage



Reaches Tight Spaces

Smaller head reaches difficult tight spaces

Double Cut Saw Blade

Double serrated blades reduce effort

Rotary Action

Creates a dynamic cutting force

CORN KNIFE BDS6590

- Shock absorbing wood handle
- Heat-treated tempered steel blade for strength
- 15 IN. / 38.1 CM blade



CANE KNIFE BDS6589

- Shock absorbing wood handle
- Heat-treated tempered steel blade for strength
- 13 IN. / 33.02 CM blade



18 IN. / 45.72 CM D STYLE HAY HOOK BDS6591

- Durable steel construction
- Comfort grip



13 IN. / 33.02 CM D STYLE HAY HOOK BDS6592

- Durable steel construction
- Comfort grip



11 IN. / 27.94 CM D STYLE HAY HOOK BDS6593

- Durable steel construction
- Comfort grip



2.75 LB. / 1.24 KG SPLITTING AXE BDS6565

- Powder coated steel head
- Fiberglass handle
- Comfort grip



1.5 LB. / .68 KG HATCHET BDS6566

- Powder coated steel head
- Fiberglass handle
- Comfort grip



LONG HANDLE TOOLS



ROUND POINT SHOVEL BDS7134T

- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- 14 Gauge heat treated steel
- Vibration reduction collar
- ControlGrip®
- Tri-Point Blade
- Xtreme Step®



SQUARE HEAD SHOVEL BDS7135T

- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- 14 Gauge heat treated steel
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Xtreme Step®



ROUND POINT SHOVEL BDS7140T

- 14 Gauge heat treated steel
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Xtreme Step®
- Tri-Point blade



SQUARE HEAD SHOVEL BDS7141T

- 14 Gauge heat treated steel
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Xtreme Step®



ROUND POINT SHOVEL BDS7137T / SQUARE HEAD SHOVEL BDS7149T

- 14 Gauge heat treated steel
- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Xtreme Step®
- Tri-Point blade
- Ergonomic ProGrip



ROUND POINT SHOVEL BDS7143T / SQUARE HEAD SHOVEL BDS7150T


- 14 Gauge heat treated steel
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Xtreme Step®
- Tri-Point blade
- Ergonomic ProGrip



FATMAX® FIBERGLASS LONG HANDLE


ROUND POINT SHOVEL BDS8058

- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®
- Tri-Point Blade
- Step gussets increase rigidity



SQUARE HEAD SHOVEL BDS8059

- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Step gussets increase rigidity



BOW RAKE BDS7136T

- Fiberglass handle with steel reinforcement
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®



GARDEN HOE BDS7227T

- Fiberglass handle with steel reinforcement
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®



TRENCHING SHOVEL BDS7138T

- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Xtreme step



SPRINGBACK RAKE BDS7238T

- Fiberglass handle with steel reinforcement
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®



MANURE FORK BDS7240T

- Fiberglass handle with steel reinforcement
- 14 Gauge heat treated steel head
- Vibration reduction collar
- ControlGrip®



FATMAX® FIBERGLASS D-HANDLE LONG HANDLE

ROUND POINT SHOVEL BDS8060

- 14 Gauge heat treated steel head
- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Tri-Point blade
- Ergonomic ProGrip®
- Step gussets increase rigidity



SQUARE HEAD SHOVEL BDS8061

- 14 Gauge heat treated steel head
- Fiberglass handle with steel reinforcement
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Ergonomic ProGrip®
- Step gussets increase rigidity



GARDEN FORK BDS7139T

- 14 Gauge heat treated steel head
- Fiberglass handle with steel reinforcement
- Vibration reduction collar
- Oversized D-handle
- Ergonomic ProGrip®



GRAIN SHOVEL BDS7231T

- 14 Gauge heat treated steel head
- Fiberglass handle with steel reinforcement
- Vibration reduction collar
- Oversized D-handle
- Ergonomic ProGrip®



FATMAX® ASHWOOD LONG HANDLE

ROUND POINT SHOVEL BDS8062

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Tri-Point blade
- Step gussets increase rigidity



SQUARE HEAD SHOVEL BDS8063

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Step gussets increase rigidity



BOW RAKE BDS7142T

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Vibration reduction collar
- ControlGrip®



GARDEN HOE BDS7144T

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Vibration reduction collar
- ControlGrip®



MANURE FORK BDS7241T

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Vibration reduction collar
- ControlGrip®



TRENCHING SHOVEL BDS7229T

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- ControlGrip®
- Dual brace reinforcement
- Xtreme Step®



FATMAX® ASHWOOD D-HANDLE LONG HANDLE

ROUND POINT SHOVEL BDS8064

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Tri-Point blade
- Ergonomic ProGrip
- Step gussets increase rigidity



SQUARE HEAD SHOVEL BDS8065

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Oversized foot step increases force to ground
- Vibration reduction collar
- Oversized D-handle
- Dual brace reinforcement
- Ergonomic ProGrip
- Step gussets increase rigidity



GARDEN FORK BDS7230T

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Vibration reduction collar
- Oversized D-handle
- Ergonomic ProGrip



GRAIN SHOVEL BDS7145

- 14 Gauge heat treated steel head
- Solid ashwood handle
- Vibration reduction collar
- Oversized D-handle
- Ergonomic ProGrip



ACCUSCAPE® PROSERIES FIBERGLASS LONG HANDLE

FIBERGLASS ROUND POINT SHOVEL BDS6498

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



FIBERGLASS SQUARE HEAD SHOVEL BDS7620

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



FIBERGLASS BOW RAKE BDS6499

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



FIBERGLASS GARDEN HOE BDS7621

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



FIBERGLASS CULTIVATOR BDS7242

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability



FIBERGLASS DUTCH GARDEN HOE BDS7243

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability



D-HANDLE ROUND POINT SHOVEL BDS6451

- Steel reinforced ABS handle
- Comfort grip
- High-carbon steel head
- Handle designed for maximum leverage



D-HANDLE SQUARE HEAD SHOVEL BDS6452

- Steel reinforced ABS handle
- Comfort grip
- High-carbon steel head
- Handle designed for maximum leverage



D-HANDLE GARDEN SPADE BDS6453

- Steel reinforced ABS handle
- Comfort grip
- High-carbon steel head
- Handle designed for maximum leverage



D-HANDLE GARDEN FORK BDS6454

- Steel reinforced ABS handle
- Comfort grip
- High-carbon steel head
- Handle designed for maximum leverage



ACCUSCAPE® PROSERIES FIBERGLASS LONG HANDLE

CONTRACTOR GRADE ROUND POINT SHOVEL BDS6458

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



CONTRACTOR GRADE SQUARE HEAD SHOVEL BDS6459

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



CONTRACTOR GRADE BOW RAKE BDS6460

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



CONTRACTOR GRADE GARDEN HOE BDS6461

- Tempered, heat treated steel for greater strength and longer life
- Fiberglass handle for greater durability
- Will not rot or splinter
- Wood reinforced core for extra strength



FIBERGLASS TRENCHING SHOVEL BDS7671

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when breaking up tough dirt



FIBERGLASS D-HANDLE DRAIN SPADE BDS7672

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when breaking up tough dirt



FIBERGLASS D-HANDLE ROUND POINT SHOVEL BDS7673

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when breaking up tough dirt



FIBERGLASS D-HANDLE SQUARE POINT SHOVEL BDS7674

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when breaking up tough dirt



FIBERGLASS D-HANDLE GARDEN FORK BDS7675

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when turning & cultivating soil, mulch and yard debris



FIBERGLASS MINI D-HANDLE SHOVEL

- Tempered heat-treated steel head for greater strength and longer life
- Sharpened edges reduce effort when breaking up tough dirt



ROUND POINT BDS7676



SQUARE HEAD BDS8088

ACCUSCAPE® PROSERIES ASHWOOD LONG HANDLE

ASHWOOD ROUND POINT SHOVEL BDS6466

- Ashwood handle
- Durable forged steel head
- Large, oversized non-slip step



ASHWOOD SQUARE HEAD SHOVEL BDS6467

- Ashwood handle
- Durable forged steel head
- Large, oversized non-slip step



ASHWOOD BOW RAKE BDS6468

- Ashwood handle
- Durable forged steel head



ASHWOOD TRENCHING SHOVEL BDS6472

- Ashwood handle
- Durable forged steel head



ASHWOOD GARDEN HOE BDS6471

- Ashwood handle
- Durable forged steel head



ASHWOOD FORGED GARDEN FORK BDS6469

- Ashwood handle
- Durable forged steel head



ASHWOOD TURF EDGER BDS7120

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD SCUFFLE HOE BDS7121

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD TRIANGLE HEAD HOE BDS7122

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD FLORAL ROUND POINT SHOVEL BDS7117

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD CULTIVATOR BDS7116

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD WIGGLE WEEDER BDS7119

- Ashwood handle
- Heat-treated hardened steel



ACCUSCAPE® ASHWOOD LONG HANDLE

ASHWOOD THATCHING RAKE BDS7127

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD D-HANDLE DRAIN SPADE BDS6470

- Ashwood handle
- Durable forged steel head



ASHWOOD D-HANDLE ROUND POINT SHOVEL BDS7123

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD D-HANDLE SPADE SHOVEL BDS7124

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD D-HANDLE SPADE FORK BDS7125

- Ashwood handle
- Heat-treated hardened steel



D-HANDLE GRAIN SHOVEL WITH ABS HEAD BDS7126

- Ashwood handle
- Durable ABS head



ASHWOOD ROUND POINT SHOVEL BDS7113

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD SQUARE HEAD SHOVEL BDS7114

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD BOW RAKE BDS7115

- Ashwood handle
- Heat-treated hardened steel



ASHWOOD POST HOLE SHOVEL BDS7244

- Ashwood handle
- Heat-treated steel head



ASHWOOD TRENCHING SHOVEL BDS7245

- Ashwood handle
- Heat-treated steel head



ACCUSCAPE® HARDWOOD LONG HANDLE

POST HOLE DIGGER BDS7299

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened head



GARDEN HOE BDS7296

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened head



2 PRONG CULTI-HOE BDS7297

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened head



CULTIVATOR BDS7298

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened head



TRENCHING SHOVEL BDS7292

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened steel



ROUND POINT SHOVEL BDS7293

- Solid hardwood handle absorbs vibrations and impact
- Heat-treated hardened steel



GARDEN HOE BDS7131

- Contoured hardwood handle
- Durable forged steel head



D-HANDLE ROUND POINT SHOVEL BDS7246

- Solid hardwood handle absorbs vibrations and impact
- D handle grip provides grip for improved leverage
- Heat-treated steel head



D-HANDLE SQUARE POINT SHOVEL BDS7247

- Solid hardwood handle absorbs vibrations and impact
- D handle grip provides grip for improved leverage
- Heat-treated steel head





**CONTRACTOR
RAKE DISPLAY** BDS7248D

- Display Includes:
- 24 Pieces - contractor rakes

30 IN. / 76.2 CM DELUXE POLY RAKE BDS6475

- Polycarbonate rake tines
- Heavy duty steel pole
- Oversized comfort grip



24 IN. / 60.96 CM DELUXE POLY RAKE BDS6474

- Polycarbonate rake tines
- Heavy duty steel pole
- Oversized comfort grip



14 IN. / 35.56 CM DELUXE POLY RAKE BDS6473

- Polycarbonate rake tines
- Heavy duty steel pole
- Oversized comfort grip



CONTRACTOR GRADE SPRINGBACK RAKE BDS7248


- Tempered, heat-treated steel for greater strength and longer life
- Fiberglass handle for greater durability - will not rot or splinter
- Wood reinforced core for extra strength
- TPR cushion grip



ACCUSCAPE® LONG HANDLE

30 IN. / 76.2 CM POLY FAN RAKE BDS7251

- Reinforced, durable poly tines
- Lightweight, wood handle



24 IN. / 60.96 CM POLY FAN RAKE BDS7252

- Reinforced, durable poly tines
- Lightweight, wood handle



8 IN. / 20.32 CM POLY SHRUB RAKE BDS7667

- Reinforced, durable poly tines
- Lightweight, wood handle



20 IN. / 50.8 CM POLY / STEEL LEAF RAKE BDS7221

- 22 Steel tines
- Lightweight, wood handle



8 IN. / 20.3 CM STEEL SHRUB RAKE BDS7220

- 11 Steel tines
- Lightweight, wood handle



24 IN. / 60.96 CM DELUXE SPRINGBACK RAKE BDS7249

- Continuous tempered steel tines
- 54 IN. / 137.16 CM Hardwood handle



22 IN. / 55.88 CM DELUXE SPRINGBACK RAKE BDS7250

- Continuous tempered steel tines
- 48 IN. / 121.92 CM Hardwood handle



20 IN. / 50.8 CM STEEL TINE LAWN RAKE BDS6543

- Tempered steel tines
- 45 IN. / 114.3 CM Hardwood handle
- 25 Tines



ADJUSTABLE STEEL RAKE BDS7677

- Adjusts from 7 IN. / 17.78 CM to 25 IN. / 63.5 CM wide
- Locks in any position
- Uses minimal storage space



HAND DIGGING





**TROWEL WITH
BLADE ARMOR™** BDS6443

- Heat treated hardened steel
- Ergonomic handle with soft grip



**CULTI-HOE WITH
BLADE ARMOR™** BDS6445

- Heat treated hardened steel
- Ergonomic handle with soft grip



**CULTIVATOR WITH
BLADE ARMOR™** BDS6446

- Heat treated hardened steel
- Ergonomic handle with soft grip



**FAN RAKE WITH
BLADE ARMOR™** BDS6447

- Heat treated hardened steel
- Ergonomic handle with soft grip



**TRANSPLANTER WITH
BLADE ARMOR™** BDS6448

- Heat treated hardened steel
- Serrated tool head for cutting
- Ergonomic handle with soft grip



**SCOOP WITH
BLADE ARMOR™** BDS6449

- Heat treated hardened steel
- Ergonomic handle with soft grip





**SERRATED
TROWEL** BDS7678

- Ergonomic comfort grip
- Stainless steel head



TRANSPLANTER BDS7679

- Ergonomic comfort grip
- Stainless steel head



CULTIVATOR BDS7680

- Ergonomic comfort grip
- Stainless steel head



FAN RAKE BDS7681

- Ergonomic comfort grip
- Stainless steel head



CULTI-HOE BDS7682

- Ergonomic comfort grip
- Stainless steel head



LARGE SOIL SCOOP BDS7683

- Ergonomic comfort grip
- Stainless steel head



**WEEDER WITH
LEVERAGE BAR** BDS7684

- Ergonomic comfort grip
- Stainless steel head

ACCUSCAPE® HAND DIGGING



**STAINLESS STEEL
SERRATED TROWEL** BDS7259

- Ergonomic comfort grip



**STAINLESS STEEL
TRANSPLANTER** BDS7260

- Ergonomic comfort grip



**STAINLESS STEEL
CULTIVATOR** BDS7261

- Ergonomic comfort grip



**STAINLESS STEEL
FAN RAKE** BDS7262

- Ergonomic comfort grip



**STAINLESS STEEL
CULTI-HOE** BDS7263

- Ergonomic comfort grip



**STAINLESS STEEL
LARGE SOIL SCOOP** BDS7264

- Ergonomic comfort grip



**STAINLESS STEEL
WEEDER WITH LEVERAGE BAR** BDS7265

- Ergonomic comfort grip



TROWEL BDS7270

- Heat-treated hardened steel
- Comfortable easy grip handle



CULTI-HOE BDS7271

- Heat-treated hardened steel
- Comfortable easy grip handle



CULTIVATOR BDS7272

- Heat-treated hardened steel
- Comfortable easy grip handle



TRANSPLANTER BDS7273

- Heat-treated hardened steel
- Comfortable easy grip handle



FAN RAKE BDS7274

- Heat-treated hardened steel
- Comfortable easy grip handle



MULTI-PURPOSE GARDENING TOOL BDS7289

- Serrated edge for cutting or mulching
- Trowel / transplanter for digging in the garden
- Weeder tip for getting weeds at their roots
- Includes nylon sheath with belt loop




**HERITAGE
TROWEL** BDS7275

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**HERITAGE
SCOOP** BDS7276

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**HERITAGE
WEEDER** BDS7277

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**HERITAGE
CULTIVATOR** BDS7278

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**HERITAGE
"L" KNIFE** BDS7279

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**HERITAGE
TRANSPLANTER** BDS7280

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**PROSERIES
HERITAGE CULTI-HOE** BDS7281

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**PROSERIES
HERITAGE TROWEL** BDS7282

- Stainless steel head
- Contoured wood handle
- Leather hand strap



**PROSERIES
HERITAGE FORK** BDS6563

- Stainless steel head
- Contoured wood handle
- Leather hand strap

ACCUSCAPE® HAND DIGGING



**CAST ALUMINIUM
TROWEL** BDS7283

- Polished cast aluminium
- Comfortable easy grip handle



**CAST ALUMINIUM
TRANSPLANTER** BDS7284

- Polished cast aluminium
- Comfortable easy grip handle



**CAST ALUMINIUM
CULTIVATOR** BDS7285

- Polished cast aluminium
- Comfortable easy grip handle



**WOOD
TROWEL** BDS7266

- Chrome plated carbon steel head
- Wood handle with TPR comfort grip



**WOOD
TRANSPLANTER** BDS7267

- Chrome plated carbon steel head
- Wood handle with TPR comfort grip



**WOOD
CULTIVATOR** BDS7268

- Chrome plated carbon steel head
- Wood handle with TPR comfort grip




**WOOD
WEEDER** BDS7269

- Chrome plated carbon steel head
- Wood handle with TPR comfort grip

TELESCOPIC TROWEL BDS7253

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



TELESCOPIC SHRUB RAKE BDS7254

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



TELESCOPIC 5 TINE CULTIVATOR BDS7255

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



TELESCOPIC 3 TINE CULTIVATOR BDS7256

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



TELESCOPIC WEEDER BDS7257

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



TELESCOPIC CULTI-HOE BDS7258

- Strong, lightweight steel handle extends for extra reach and leverage
- Comfortable soft non-slip grip
- Durable heat-treated head
- Rust resistant powder coated paint



ULTIMATE GARDEN KNIFE BDS7236

- Offset handle protects hand and provides leverage
- V-Channel weed puller
- Tempered steel blade
- Depth gauge
- Serrated edge cuts sod
- Fully welded construction
- Ergonomic TPR grip
- Nylon sheath




ULTIMATE CULTI-HOE BDS7237

- V-Channel weed puller
- Scooping front tool cultivates soil
- Narrow axe on opposite side
- High impact polymer handle
- Heat treated cast construction
- TPR grip




ACCUSCAPE® HAND DIGGING



GARDEN TILLER BDS7624

- Comfort grip
- Heavy duty steel head



GARDEN WEEDER BDS7625

- Comfort grip
- Heavy duty steel head



GARDEN TILLER BDS7623

- Comfort grip
- Heavy duty steel head



WOOD HANDLE CULTI-HOE BDS7685

- Heavy duty steel head
- Non slip grip
- Hardwood handle



BULB PLANTER BDS7291

- Comfort grip
- Durable steel construction



STEEL BULB PLANTER BDS7288

- Powder coated steel body
- Hammertone finish
- Hardwood handle



LONG HANDLED BULB PLANTER BDS7290

- Heavy gauge chrome plated steel



EASY CULTIVATOR BDS7686

- Heavy duty steel construction
- Long handle for leverage



WEED REMOVER BDS7286

- Stainless steel spikes
- Spring action weed release
- Lightweight aluminium body



PRO WEED REMOVER BDS7287

- Stainless steel textured spikes
- Zinc plated handles with non-slip grip
- Spring action weed release
- Lightweight aluminium body
- Zinc plated side step for maximum leverage

SPRAYERS





1.5 L / 0.39 G
HAND HELD SPRAYER BDS7700

- Maximum operating pressure 2.5 Bar / 36.25 PSI
- Polypropylene nozzle
- In-line anti-clog filter



2 L / 0.53 G
HAND HELD SPRAYER BDS7701

- Maximum operating pressure 2.5 Bar / 36.25 PSI
- Polypropylene nozzle
- In-line anti-clog filter



3.7 L / 1 G
PRESSURE SPRAYER BDS7731

- Pressure release valve
- Polypropylene wand
- Easy pour cup
- In-line anti-clog filter
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Maximum operating pressure 2.5 Bar / 36.25 PSI



8 L / 2.1 G
PRESSURE SPRAYER BDS7706

- Pressure release valve
- Polypropylene wand
- Easy pour cup
- In-line anti-clog filter
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Maximum operating pressure 2.5 Bar / 36.25 PSI

ACCUSCAPE® SPRAYERS



1.5 L / 0.39 G HAND HELD SPRAYER BDS7727

- Seal Type: VITON
- Maximum operating pressure 2.5 Bar / 36.25 PSI
- Polypropylene nozzle
- In-line anti-clog filter



2 L / 0.53 G HAND HELD SPRAYER BDS7728

- Seal Type: VITON
- Maximum operating pressure 2.5 Bar / 36.25 PSI
- Polypropylene nozzle
- In-line anti-clog filter



3.7 L / 1 G PRESSURE SPRAYER BDS7729

- Seal Type: VITON
- Pressure release valve
- Polypropylene wand
- Easy pour cup
- In-line anti-clog filter
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Maximum operating pressure 2.5 Bar / 36.25 PSI



8 L / 2.1 G PRESSURE SPRAYER BDS7730

- Seal Type: VITON
- Pressure release valve
- Polypropylene wand
- Easy pour cup
- In-line anti-clog filter
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Maximum operating pressure 2.5 Bar / 36.25 PSI



ACCUSCAPE® PROSERIES SPRAYERS



1.5 L / 0.39 G
HAND HELD SPRAYER BDS7720

- Locking trigger
- Seal Type: VITON
- Pressure release valve
- Maximum operating pressure
2.5 Bar / 36.25 PSI
- Polypropylene nozzle



2 L / 0.53 G
HAND HELD SPRAYER BDS7721

- Locking trigger
- Seal Type: VITON
- Pressure release valve
- Maximum operating pressure
2.5 Bar / 36.25 PSI
- Polypropylene nozzle



1.5 L / 0.39 G
HAND HELD SPRAYER BDS7722

- Locking trigger
- Seal Type: VITON
- Pressure release valve
- Maximum operating pressure
2.5 Bar / 36.25 PSI
- Polypropylene nozzle



2 L / 0.53 G
HAND HELD SPRAYER BDS7723

- Locking trigger
- Seal Type: VITON
- Pressure release valve
- Maximum operating pressure
2.5 Bar / 36.25 PSI
- Polypropylene nozzle



5 L / 1.3 G COMMERCIAL PRESSURE SPRAYER BDS7724

- Seal Type: VITON
- Pressure release valve
- Inline anti-clog filter
- Polypropylene nozzle
- Polypropylene wand
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Maximum operating pressure 2.5 Bar / 36.25 PSI



8 L / 2.1 G COMMERCIAL PRESSURE SPRAYER BDS7725

- Seal Type: VITON
- Pressure release valve
- Inline anti-clog filter
- Polypropylene nozzle
- Polypropylene wand
- Wand length 14.17 IN. / 35.99 CM
- Hose length 47.24 IN. / 119.98 CM
- Pressure 2.5 Bar / 36.25 PSI Maximum operating


WHEELBARROWS



UV Resistant Tub



Run Flat Tires



Textured Hand Grip

7 CU. FT. / 0.19 CU. M STEEL TUB WHEELBARROW BDS6513

- Loading capacity: 352.74 LB / 160 KG
- Sand capacity: 7 CU. FT / 0.19 CU M
- Water capacity: 26.4 Gallons / 100 Liters
- Steel handles
- Textured grip handles
- Stability feet for extra support



UV Resistant Tub



Run Flat Tires

6 CU. FT. / 0.16 CU. M STEEL TUB WHEELBARROW BDS6514

- Loading capacity: 308.64 LB / 140 KG
- Sand capacity: 6 CU. FT / 0.17 CU M
- Water capacity: 26.4 Gallons / 100 Liters
- Hardwood handles



UV Resistant Tub



Textured Hand Grip

6 CU. FT. / 0.16 CU. M POLY TUB WHEELBARROW BDS6515

- Loading capacity: 308.64 LB / 140 KG
- Sand capacity: 6 CU FT. / 0.16 CU M
- Water capacity: 26.4 Gallons / 100 Liters
- Steel handles
- Textured grip handles
- Pneumatic tire
- Lightweight molded poly rim



UV Resistant Tub



Textured Hand Grip

8 CU. FT. POLY / 0.22 CU M TUB WHEELBARROW BDS6516

- Loading capacity: 352.74 LB / 160 KG
- Sand capacity: 8 CU FT. / 0.22 CU M
- Water capacity: 36.98 Gallons / 140 Liters
- Steel handles
- Textured grip handles
- Pneumatic tire

GARDEN CARTS



6 CU. FT. / 0.16 CU. M
POLY TUB GARDEN CART BDS8310

- Loading capacity: 1500 LB / 680 KG
- Sand capacity: 6 CU. FT / 0.16 CU M
- 2 IN 1 Handle for hand pull or tow behind
- Spring loaded handle keeps handle off the ground
- Quick release lock allows for hassle free dumping
- 33 CM Pneumatic tires for rugged terrain



6.5 CU. FT. / 0.18 CU. M
POLY TUB GARDEN CART BDS8318

- Loading capacity: 1400 LB / 635 KG
- Sand capacity: 6 CU. FT / 0.17 CU M
- 2 IN 1 Handle for hand pull or tow behind
- Spring loaded handle keeps handle off the ground
- Quick release lock allows for hassle free dumping
- 33 CM Pneumatic tires for rugged terrain




4 CU. FT. / 0.11 CU. M
POLY TUB GARDEN CART BDS8317

- Loading capacity: 1200 LB / 544 KG
- Sand capacity: 4 CU FT. / 0.11 CU M
- 2 IN 1 Handle for hand pull or tow behind
- Spring loaded handle keeps handle off the ground
- Quick release lock allows for hassle free dumping
- 33 CM Pneumatic tires for rugged terrain

OPTIONAL FEATURE



Removable fabric for transporting sand and gravel



8 CU. FT. / 0.22 CU M
STEEL MESH GARDEN CART BDS8316


- Loading capacity: 1400 LB / 635 KG
- Sand capacity: 8 CU FT. / 0.22 CU M
- 2 IN 1 Handle for hand pull or tow behind
- Spring loaded handle keeps handle off the ground
- Removable sides for easy convert to flat bed
- 33 CM Pneumatic tires for rugged terrain



OPTIONAL FEATURE



Removable fabric for transporting sand and gravel



5.5 CU. FT. / 0.15 CU. M
STEEL MESH GARDEN CART BDS8315

- Loading capacity: 1200 LB / 544 KG
- Sand capacity: 5.5 CU FT. / 0.15 CU M
- 2 IN 1 Handle for hand pull or tow behind
- Spring loaded handle keeps handle off the ground
- Removable sides for easy convert to flat bed
- 33 CM Pneumatic tires for rugged terrain

OPTIONAL FEATURE



Removable fabric for transporting sand and gravel



4 CU. FT. / 0.11 CU. M
STEEL MESH GARDEN CART BDS8314

- Loading capacity: 800 LB / 362 KG
- Sand capacity: 4 CU FT. / 0.11 CU M
- Spring loaded handle keeps handle off the ground
- Removable sides for easy convert to flat bed
- 33 CM Pneumatic tires for rugged terrain



DISPLAYS





CUTTING TOOL DUMP BIN DISPLAY BDS6934D

Display Includes:

- 48 Pieces each - drop forged pruner, pruner combo pack
- 24 Pieces each - mini bypass lopper

Ask us how to
customize this display



HAND TOOL DUMP BIN DISPLAY BDS6935D

- 48 Pieces each - trowel, fan rake and cultivator



FATMAX® WATERING DISPLAY BDS6997PD

- Professional Garden Hose
- Duraflex Expanding Hose
- 8 Pattern Heavy Duty Trigger Nozzle
- 3 Way Adjustable Trigger Nozzle



- BDS6650HP Half Pallet Option (30 PCS)
- 20" x 48"
- Available in yellow or black



- BDS6650P Full Pallet Option (60 PCS)
- 40" x 48"
- Available in yellow or black





CUTTING / DIGGING TOOL DISPLAY BDS6937D

Display Includes:

- Pruners, loppers, hedge shears, grass shears, folding saws and hand tools



CUTTING / DIGGING TOOL DISPLAY BDS6938D

Display Includes:

- Pruners, loppers, hand tools, hedge shears and grass shears



TELESCOPIC / HAND TOOL DISPLAY BDS6939D

Display Includes:


- Telescopic digging tools
- Stainless steel hand tools
- Easy grip series
- Mini D handle shovel



CUTTING TOOL DISPLAY BDS6940D

Display Includes:

- Bypass pruners, household shears, pruners, loppers, hedge shears, grass shears and folding saws



TELESCOPIC 2 SIDED MINI DISPLAY BDS6941D

Display Includes:

- Hand tools, telescopic shovels, telescopic culthoes and telescopic 4-tine rakes



LONG HANDLE TOOL DISPLAY BDS6942D

Display Includes:

- Shovels, rakes and hoes



24 IN. / 60.96 CM
POLY RAKE DISPLAY BDS7252D

- Display Includes:
- 24 Pieces - poly rakes

30 IN. / 76.2 CM
POLY RAKE DISPLAY BDS7251D

- Display Includes:
- 24 Pieces - poly rakes



LONG HANDLE TOOL DISPLAY BDS8103D

Display Includes:

- Shovels, bow rakes and springback rakes



LONG HANDLE TOOL DISPLAY BDS8103D

Display Includes:

- Shovels, bow rakes and springback rakes

LONG HANDLE TOOL DISPLAY BDS7231D

Display Includes:

- Grain Shovels



LONG HANDLE TOOL DISPLAY BDS-DHAN

Display Includes:

- Grain shovels, square head and round point d handle shovels



22 IN. / 55.88 CM
SPRINGBACK RAKE DISPLAY BDS7250D

- Display Includes:
- 24 Pieces - 22 IN. / 55.88 CM springback rakes



24 IN. / 60.96 CM
SPRINGBACK RAKE DISPLAY BDS7249CD

- Display Includes:
- 24 Pieces - 24 IN. / 60.96 CM springback rakes



**CONTRACTOR
RAKE DISPLAY** BDS7248D

- Display Includes:
- 24 Pieces - contractor rakes

STANLEY®

Manufactured by:
Bond Manufacturing Co., Inc.
2516 Verne Roberts Cir., STE H3
Antioch, CA 94509

Customer Service: (877) 278-0973
Fax: (925) 777-9018

www.StanleyGardenProducts.com